






































































































| | | With Thread Lock | | Initial | Final | | | | | | | Lock | |
|-------|---|------------------|---|---------|--------|---------|-------|-------|-------|-------------------------------------|-------|--------|---|
| NM50A |  | NM50AP |  | 1-1/2 | 4-3/4 | 8-32 | 0.437 | 0.052 | 0.070 | <input checked="" type="checkbox"/> | NM50A | NM50AP |  |
| NM50 |  | NM50P |  | 1-1/2 | 4-3/4 | 8-36 | 0.437 | 0.052 | 0.070 | <input checked="" type="checkbox"/> | NM50 | NM50P |  |
| NM52 |  | NM52P |  | 1-3/4 | 6-1/4 | 10-32 | 0.468 | 0.065 | 0.093 | <input checked="" type="checkbox"/> | NM52 | NM52P |  |
| NM54 |  | NM54N |  | 3.0 | 10-1/2 | 1/4-20 | 0.531 | 0.078 | 0.119 | <input checked="" type="checkbox"/> | NM54 | NM54N |  |
| NM56 |  | NM56N |  | 3-3/4 | 15-1/2 | 5/16-18 | 0.562 | 0.084 | 0.135 | <input checked="" type="checkbox"/> | NM56 | NM56N |  |
| NM58 |  | NM58N |  | 4-1/2 | 18-1/2 | 3/8-16 | 0.625 | 0.110 | 0.186 | <input checked="" type="checkbox"/> | NM58 | NM58N |  |
| NM60 |  | NM60N |  | 5.0 | 28.0 | 1/2-13 | 0.750 | 0.151 | 0.248 | <input checked="" type="checkbox"/> | NM60 | NM60N |  |
| NM62 |  | NM62N |  | 7.0 | 50.0 | 5/8-11 | 1.062 | 0.215 | 0.310 | <input checked="" type="checkbox"/> | NM62 | NM62N |  |

Light End Force Delrin® Nose Stubby Plungers - Steel

| Part No. | | End Force, (Lbs.) | | A | B | C | D | ROHS | CAD | CAD With Thread Lock | | | |
|----------|---|-------------------|---|-------|-------|---------|-------|-------|-------|-------------------------------------|-------|--------|---|
| | With Thread Lock | Initial | Final | | | | | | | | | | |
| NM51A |  | NM51AP |  | 1/2 | 1-1/2 | 8-32 | 0.437 | 0.052 | 0.070 | <input checked="" type="checkbox"/> | NM51A | NM51AP |  |
| NM51 |  | NM51P |  | 1/2 | 1-1/2 | 8-36 | 0.437 | 0.052 | 0.070 | <input checked="" type="checkbox"/> | NM51 | NM51P |  |
| NM53 |  | NM53P |  | 3/4 | 2-1/2 | 10-32 | 0.468 | 0.065 | 0.093 | <input checked="" type="checkbox"/> | NM53 | NM53P |  |
| NM55 |  | NM55N |  | 1.0 | 3-1/2 | 1/4-20 | 0.531 | 0.078 | 0.119 | <input checked="" type="checkbox"/> | NM55 | NM55N |  |
| NM57 |  | NM57N |  | 1-1/4 | 4.0 | 5/16-18 | 0.562 | 0.084 | 0.135 | <input checked="" type="checkbox"/> | NM57 | NM57N |  |
| NM59 |  | NM59N |  | 1-1/2 | 5.0 | 3/8-16 | 0.625 | 0.110 | 0.186 | <input checked="" type="checkbox"/> | NM59 | NM59N |  |
| NM61 |  | NM61N |  | 1-3/4 | 5-1/2 | 1/2-13 | 0.750 | 0.151 | 0.248 | <input checked="" type="checkbox"/> | NM61 | NM61N |  |
| NM63 |  | NM63N |  | 2.0 | 8-1/2 | 5/8-11 | 1.062 | 0.215 | 0.310 | <input checked="" type="checkbox"/> | NM63 | NM63N |  |

Delrin® Nose Stubby Plungers - Steel

| Part No. | | End Force, N | | A | B | C | D | ROHS | CAD | CAD With Thread Lock | | | |
|----------|---|--------------|---|-----|------|----------|------|------|-----|-------------------------------------|-------|--------|---|
| | With Thread Lock | Initial | Final | | | | | | | | | | |
| NMHM4 |  | NMHM4P |  | 7.0 | 21.0 | M4 x 0.7 | 11.1 | 1.3 | 1.8 | <input checked="" type="checkbox"/> | NMHM4 | NMHM4P |  |
| NMM4 |  | NMM4P |  | 2.0 | 7.0 | M4 x 0.7 | 11.1 | 1.3 | 1.8 | <input checked="" type="checkbox"/> | NMM4 | NMM4P |  |
| NMHM5 |  | NMHM5P |  | 8.0 | 28.0 | M5 x 0.8 | 11.9 | 1.7 | 2.4 | <input checked="" type="checkbox"/> | NMHM5 | NMHM5P |  |

| | | | | | | | | | | | | | | |
|--------|---|---------|---|------|-------|------------|------|-----|-----|-------------------------------------|--------|---|---------|---|
| NMM5 |  | NMM5P |  | 3.0 | 11.0 | M5 x 0.8 | 11.9 | 1.7 | 2.4 | <input checked="" type="checkbox"/> | NMM5 |  | NMM5P |  |
| NMHM6 |  | NMHM6P |  | 13.0 | 47.0 | M6 x 10 | 13.5 | 2.0 | 3.0 | <input checked="" type="checkbox"/> | NMHM6 |  | NMHM6P |  |
| NMM6 |  | NMM6P |  | 4.0 | 16.0 | M6 x 10 | 13.5 | 2.0 | 3.0 | <input checked="" type="checkbox"/> | NMM6 |  | NMM6P |  |
| NMHM8 |  | NMHM8P |  | 17.0 | 69.0 | M8 x 1.25 | 14.3 | 2.1 | 3.4 | <input checked="" type="checkbox"/> | NMHM8 |  | NMHM8P |  |
| NMM8 |  | NMM8P |  | 6.0 | 18.0 | M8 x 1.25 | 14.3 | 2.1 | 3.4 | <input checked="" type="checkbox"/> | NMM8 |  | NMM8P |  |
| NMHM10 |  | NMHM10P |  | 20.0 | 82.0 | M10 x 1.5 | 15.9 | 2.8 | 4.7 | <input checked="" type="checkbox"/> | NMHM10 |  | NMHM10P |  |
| NMM10 |  | NMM10P |  | 7.0 | 22.0 | M10 x 1.5 | 15.9 | 2.8 | 4.7 | <input checked="" type="checkbox"/> | NMM10 |  | NMM10P |  |
| NMHM12 |  | NMHM12P |  | 22.0 | 125.0 | M12 x 1.75 | 19.1 | 3.8 | 6.3 | <input checked="" type="checkbox"/> | NMHM12 |  | NMHM12P |  |
| NMM12 |  | NMM12P |  | 8.0 | 24.0 | M12 x 1.75 | 19.1 | 3.8 | 6.3 | <input checked="" type="checkbox"/> | NMM12 |  | NMM12P |  |
| NMHM16 |  | NMHM16P |  | 31.0 | 222.0 | M16 x 2.0 | 27.0 | 5.5 | 7.9 | <input checked="" type="checkbox"/> | NMHM16 |  | NMHM16P |  |
| NMM16 |  | NMM16P |  | 9.0 | 38.0 | M16 x 2.0 | 27.0 | 5.5 | 7.9 | <input checked="" type="checkbox"/> | NMM16 |  | NMM16P |  |

Proud to be [ISO:50001](#) and [ISO:9001](#) Certified

Cage Code: 01226



Copyright © 2024 Vliet Inc. | All Rights Reserved | A Division of  HUTCHINSON®