

T102		8-15	10-32	1-1/4	0.47	7/8	<input checked="" type="checkbox"/>	T102	
T103		9-18	1/4-20	1-3/4	0.47	7/8	<input checked="" type="checkbox"/>	T103	
T1031		9-18	1/4-20	2-1/2	0.47	7/8	<input checked="" type="checkbox"/>	T1031	
T103A		10-20	5/16-18	1-3/4	0.47	7/8	<input checked="" type="checkbox"/>	T103A	
T103A1		10-20	5/16-18	2-1/4	0.47	7/8	<input checked="" type="checkbox"/>	T103A1	
T103B		10-20	5/16-18	3	0.47	7/8	<input checked="" type="checkbox"/>	T103B	
T104		12-23	3/8-16	1-3/4	0.47	7/8	<input checked="" type="checkbox"/>	T104	
T1041		12-23	3/8-16	2-1/4	0.47	7/8	<input checked="" type="checkbox"/>	T1041	
T105		12-23	3/8-16	3	0.47	7/8	<input checked="" type="checkbox"/>	T105	

Swivel Pad Type

Part No. Steel Pad	Part No. Delrin® Pad	Estimated End Force Lbs.	A	B	C	D	E	ROHS	CAD Delrin® Pad	CAD Steel Pad
TS103	NTS103	9-18	1/4-20	2-1/4	0.47	7/8	0.19	<input checked="" type="checkbox"/>	NTS103 	TS103
TS103A	NTS103A	10-20	5/16-18	2-1/4	0.47	7/8	0.25	<input checked="" type="checkbox"/>	NTS103A 	TS103A
TS104	NTS104	12-23	3/8-16	2-1/4	0.47	7/8	0.29	<input checked="" type="checkbox"/>	NTS104 	TS104

Inverted Type B







Part No.	Estimated End Force Lbs.	A	B	C	D	ROHS	CAD
T125	9-18	1/4-20	1-3/4	7/16	7/8	<input checked="" type="checkbox"/>	T125
T126	12-23	3/8-16	1-3/4	7/16	7/8	<input checked="" type="checkbox"/>	T126
T127	13-25	1/2-13	1-3/4	1/2	1-1/8	<input checked="" type="checkbox"/>	T127
T128	15-28	5/8-11	1-3/4	1/2	1-1/8	<input checked="" type="checkbox"/>	T128

Tee Head Type C













Part No.	Estimated End Force Lbs.	A	B	C	D	E	F	ROHS	CAD
T150	13-25	1/4-20	1-3/4	7/16	7/8	0.093	0.184	<input checked="" type="checkbox"/>	T150
T151	17-33	3/8-16	1-3/4	7/16	7/8	0.174	0.290	<input checked="" type="checkbox"/>	T151

Adjustable Type D

Part No.	Estimated End Force Lbs.	A	B	C	D	Adjustable Torque Inch Pounds	ROHS	CAD
T198	10-125	3/8-16	1-3/4	21/32	1-3/16	3-6	<input checked="" type="checkbox"/>	T198

T199		10-125	3/8-16	3	21/32	1-3/16	3-6	<input checked="" type="checkbox"/>	T199 
T200		10-125	1/2-13	1-3/4	21/32	1-3/16	3-6	<input checked="" type="checkbox"/>	T200 
T201		10-125	1/2-13	3	21/32	1-3/16	3-6	<input checked="" type="checkbox"/>	T201 

Checknuts

Part No.		Thread Size	A	B	C	D	ROHS	CAD	
T102CN		10-32	3/4	7/32	1/2	5/32	<input checked="" type="checkbox"/>	T102CN	
T103CN		1/4-20	3/4	7/32	1/2	5/32	<input checked="" type="checkbox"/>	T103CN	
T103ACN		5/16-18	3/4	5/16	1/2	1/4	<input checked="" type="checkbox"/>	T103ACN	
T104CN		3/8-16	3/4	5/16	1/2	1/4	<input checked="" type="checkbox"/>	T104CN	
T106CN		1/2-13	1	3/8	3/4	1/4	<input checked="" type="checkbox"/>	T106CN	
T108CN		5/8-11	1	3/8	3/4	1/4	<input checked="" type="checkbox"/>	T108CN	

Product not available in metric.

Proud to be [ISO:50001](#) and ISO:9001 Certified

Cage Code: 01226



Copyright © 2024 Vliet Inc. | All Rights Reserved | A Division of  HUTCHINSON®